

Bibliography

- Adams, D. B. 1979. Vegetation-environment relationships in Palo Duro Canyon, west Texas. Ph.D. dissertation, University of Oklahoma, Norman.
- Aide, M. and O. W. van Auken. 1985. Chihuahuan desert vegetation of limestone and basalt slopes in west Texas. *Southwestern Naturalist* 30: 533-542.
- Ajilvsgi, Geyata. 1979. Wildflowers of the Big Thicket, east Texas, and western Louisiana. Texas A&M University Press, College Station.
- Alloway, D. 2000. Personal communication. TPWD, Big Bend Ranch State Park, Tex.
- Allred, B. W. 1956. In: Grasslands of the Great Plains. J. E. Weaver and F. W. Albertson, eds. Johnson Books, Lincoln, Nebr.
- Allred, B.W and H. C. Mitchell. 1954. Major plant types of Texas (map). Soil Conservation Service, Fort Worth, Tex.
- Allred, B.W and H. C. Mitchell. 1955. Major plant types of Arkansas, Louisiana, Oklahoma and Texas and their relation to climate and soils. *Texas Journal of Science* 7: 7-19.
- Amos, B. B. 1986. Ecological analysis of Blackland Prairie plant community: the Leonhardt Prairie. Report to the Nature Conservancy. Baylor University, Waco, Tex.
- Amos, B. B. 2000. Personal communication. Angelo State University, San Angelo, Tex.
- Archer, S. 1989. Have southern Texas savannas been converted to woodlands in recent history? *American Naturalist* 134: 545-561.
- Archer, S., C. Scifres, C. R. Bassham, and R. Maggio. 1988. Autogenic succession in a subtropical savanna: conversion of grassland to thorn woodland. *Ecological Monographs* 58: 111-127.
- Armstrong, F. 2000. Personal communication. National Park Service, Guadalupe Mountains National Park, Tex.
- Austin American Statesman. 2000. "Poll: Texans worry about pollution, toxic waste: environmental concerns found to be widespread, nonpartisan." Ralph K. M. Haurwitz, November 13, 2000.
- Barber, S.C. 1979. Floristic components of the gypsum hills and Redbed Plains area of southwestern Oklahoma. *Southwestern Naturalist* 24: 431-437.
- Barbour, M. G., J. H. Burk, and W. D. Pitts. 1987. Terrestrial plant ecology. 2nd ed. Benjamin/Cummings, Menlo Park, Calif.
- Barkley, F. A. 1936. A note on the shrubs of a desert plains community in Nolan County, Texas. *Ecology* 17: 178-184.
- Bartlett, J. R. 1854. Personal narrative of explorations and incidents in Texas, New Mexico, California, Sonora and Chihuahua. D. Appleton and Company, New York.
- Beasom, S. L. and Haucke, H. H. 1975. A comparison of four distinct sampling techniques in South Texas live oak mottes. *Journal of Range Management* 28:142-144.
- Benn, S. 2000. Personal communication. TPWD, Las Palomas WMA, Tex.
- Best, C. 2000. Approximate vegetation classifications for Santa Ana NWR. Unpub. document. USFWS, Lower Rio Grande Valley National Wildlife Refuge, Tex.

- Best, C. 2000. Personal communication. U. S. Fish and Wildlife Service, Lower Rio Grande Valley National Wildlife Refuge, Tex.
- Best, T. L., M. P. Skupski and R. A. Smartt. 1993. Food habits of sympatric rodents in the shinnery oak-mesquite grasslands of southeastern New Mexico. *Southwestern Naturalist* 38: 224-235.
- Blair, R. M. and H. G. Enghardt. 1976. Deer forage and overstory dynamics in a loblolly pine plantation. *Journal of Range Management* 29: 104-108.
- Bogusch, E. R. 1928. Composition and seasonal aspects of the Gonzales County marsh associates. Master's thesis, University of Texas, Austin.
- Box, T. W. 1961. Relationships between plants and soils of four range plant communities in south Texas. *Ecology* 42: 794-810.
- Box, T. W. 1967a. Brush, fire, and West Texas rangeland. *Tall Timbers Fire Ecology Conference Proc.* 6: 7-19.
- Box, T. W. 1967b. Influence of drought and grazing on mortality of five west Texas grasses. *Journal of Range Management* 20: 654-656.
- Box, T. W. and R. S. White. 1969. Fall and winter burning of South Texas brush ranges. *Journal of Range Management* 22: 373-376.
- Brackett, E. S. 1939. Ecology of the plants of Washington County. Master's thesis, University of Texas, Austin.
- Bray, W. L. 1905. The vegetation of the sotol country of Texas. University of Texas Bulletin no. 6.
- Bray, W. L. 1906. Distribution and adaptation of the vegetation of Texas. University of Texas Bulletin 82, Series no. 10.
- Bridges, E. L., and S. L. Orzell. 1989a. Additions and noteworthy vascular plant collections from Texas and Louisiana, with historical, ecological and geographical notes. *Phytologia* 66:12-69.
- Bridges, E. L. and S. L. Orzell. 1989b. Longleaf pine communities of the west Gulf Coastal Plain. *Natural Areas Journal* 9: 246-263.
- Brooks, A. R., E. S. Nixon, and J. A. Neal. 1993. Woody vegetation of wet creek bottom communities in eastern Texas. *Castanea* 58:185-196.
- Brown, J. R. and S. Archer. 1987. Woody plant invasion of grasslands: establishment of honey mesquite (*Prosopis glandulosa* var. *glandulosa*) on sites differing in herbaceous biomass and grazing history. *Oecologia* 80:19-26.
- Brown, J. W. and J. L. Schuster. 1969. Effects of grazing on a hardland site in the southern High Plains. *Journal of Range Management* 22: 418-423.
- Brown, L. E. 1985. An annotated checklist of the vascular plants of the Armand Bayou Nature Park and southeastern Harris County, Texas. Houston Community College, Houston, Tex.
- Brown, L. F., Jr., J. L. Brewton, T. J. Evans, J. H. McGowen, W. A. White, C. G. Groat, and W. L. Fisher. 1980. Environmental geologic atlas of the Texas Coastal Zone (series). University of Texas Bureau of Economic Geology, Austin.
- Buckley, P.E. and J. D. Dodd. 1969. Heavy precipitation influences saline clay flat vegetation. *Journal of Range Management* 22: 405-407.
- Buechner, H. K. 1944. The range vegetation of Kerr County, Texas, in relation to livestock and white-tailed deer. *American Midland Naturalist* 31: 697-713.
- Buescher, Willis and Ratliff. 2000. Draft initially prepared water plan --- prepared for the Northeast Regional Planning Group – Region D.

- Bunting, S. C. 1978. The vegetation of the Guadalupe Mountains. Ph.D. dissertation, Texas Tech University, Lubbock, Tex.
- Burandt, C. L., E. S. Nixon and R. L. Willett. 1977. Woody vegetation of an inland heronry in east Texas. *Southwestern Naturalist* 21: 475-486.
- Burgess, T. L., and D. K. Northington. 1979. Plants of the Guadalupe Mountains and Carlsbad Caverns national parks: an annotated checklist. Chihuahuan Desert Research Institute Pub. no. 107. Alpine, Tex.
- Butterwick, M. and S. Strong. 1976a. A vegetational survey of the Fresno Canyon area. In Fresno Canyon: a natural area survey. LBJ School of Public Affairs, University of Texas, Austin.
- Butterwick, M. and S. Strong. 1976b. A vegetational survey of the Falcon Dam area. In Rio Grande-Falcon thorn woodland: a natural area survey. LBJ School of Public Affairs, University of Texas, Austin.
- Butler, A. C. 1979. Mima mound grasslands of the upper Coastal Prairie of Texas. Master's thesis, Texas A&M University, College Station.
- Campbell, R. S. 1929. Vegetative succession on the *Prosopis* sand dunes of southern New Mexico. *Ecology* 10: 392-398.
- Campbell-Kissock, L., L. H. Blankenship, and J. W. Stewart. 1985. Plant and animal foods of bobwhite and scaled quail in southwest Texas. *Southwestern Naturalist* 30: 543-553.
- Carls, E. G. and A. K. Ludeke. 1984. State park contributions to natural area protection in Texas, USA. *Biological Conservation* 28: 95-110.
- Carls, G. E., R. I. Lonard and D. B. Fenn. 1991. Notes on the vegetation of north Padre Island, Texas. *Southwestern Naturalist* 36: 121-125.
- Carr, W. R. 1992. Survey of rare, threatened and endangered plants on U. S. Navy property in south Texas: final report. TPWD Texas Natural Heritage Program, Austin.
- Carr, W. R. 1993. A botanical inventory of Blackland Prairie openings within the Sam Houston National Forest. Unpub. rept., TPWD Texas Natural Heritage Program.
- Carr, W. R. 1995. Rare plant surveys on Lower Rio Grande Valley National Wildlife Refuge tracts, December 1993-July 1995. TPWD Texas Natural Heritage Program.
- Carr, W. R. 1997. Rare plant survey and botanical inventory of Naval Station Ingleside, San Patricio County, Texas. Unpub. document, Nature Conservancy of Texas, Austin.
- Carr, W. R. 1999a. Notes on a botanical survey of Southmost Ranch, Cameron County, Texas, 3-5 May 1999. Unpub. rept., Nature Conservancy of Texas, Austin.
- Carr, W. R. 1999b. Notes on a visit to the Dance Bayou Tract of the San Bernard National Wildlife Refuge, Brazoria County, Texas, 27 May 1999. Unpub. rept., Nature Conservancy of Texas, Austin.
- Carr, W. R. 1999c. Preliminary notes on a botanical survey of Cañoncita Ranch, Randall County, Texas, Spring-Summer 1999. Unpub. rept., Nature Conservancy of Texas, Austin.
- Carr, W. R. 2000. Personal communication. Nature Conservancy of Texas, Austin.

- Carter, W. T. 1931. The soils of Texas. Texas Agricultural Experiment Station Bull. no. 431.
- Chambless, L. F. and E. S. Nixon. 1975. Woody vegetation-soil relations in a bottomland forest of east Texas. *Texas Journal of Science* 26: 407-416.
- Chapman, H. H. 1932. Is the longleaf type a climax? *Ecology* 13: 328-334.
- Chamrad, A. D. and T. W. Box. 1965. Drought-associated mortality of range grasses in South Texas. *Ecology* 46: 780-5.
- Christensen, N. L. 1981. Fire regimes in southeastern ecosystems. In: Fire regimes and ecosystem properties, pp. 112-127. USDA Forest Service General Technical Report WO-26.
- Christensen, N. L. 1988. Vegetation of the southeastern Coastal Plain. In: North American terrestrial vegetation. M. G. Barbour and W. D. Billings, eds. Cambridge University Press, New York.
- Clapp, D. 2000. Personal communication. USFWS, Muleshoe National Wildlife Refuge, Tex.
- Clover, E. U. 1937. Vegetational survey of the Lower Rio Grande Valley, Texas. *Madroño* 4: 41-66, 77-100.
- Collins, K. D. 1987. The distribution, status and ecological value of inland pothole wetlands associated with the live oak brush community in South Texas. U.S. Fish and Wildlife Service Ecological Services Division, Corpus Christi, Tex.
- Collins, O. B., F. E. Smeins, and D. H. Riskind. 1975. Plant communities of the Blackland Prairie of Texas. In: M. K. Wali, ed. *Prairie: A multiple view*. University of North Dakota Press, Grand Forks.
- Cooke, J. 2000. Personal communication. TPWD, Austin.
- Correll, D. S., and M. C. Johnston. 1970. Manual of the vascular plants of Texas. Texas Research Foundation, Renner, Tex.
- Cory, V. L. and H. B. Parks. 1937. Catalogue of the flora of the state of Texas. Bull. no. 550. Texas Agricultural Experiment Station, College Station.
- Cottle, H. J. 1931. Studies in the vegetation of southwestern Texas. *Ecology* 12: 105-155.
- Cottle, H. J. 1932. Vegetation on north and south slopes of mountains in southwestern Texas. *Ecology* 13: 121-134.
- Cox, P W. 1983. An ecological study of Blackland Prairie forest communities at the Heard Natural Science Museum and Wildlife Sanctuary, McKinney, Texas. Master's thesis, Stephen F. Austin State University, Nacogdoches, Tex.
- Crowley, C. M. 1993. The effects upon riparian vegetation of east Texas alluvial riverine systems by a man-made impoundment. Master's thesis, Stephen F. Austin State University, Nacogdoches, Tex.
- Dallas Morning News. 1994. Texas almanac and state industrial guide, 1994-95.
- Daniel, R. S. and R. R. Fleet. 1999. Bird and small mammal communities of four similar-aged forest types of the Caddo Lake area in East Texas. *Texas Journal of Science* 51: 65-80.
- Darr, G. W. and D. A. Klebenow. 1975. Deer, brush control, and livestock on the Texas Rolling Plains. *Journal of Range Management* 28:115-119.
- Daubenmire, R. 1952. Forest vegetation of northern Idaho and adjacent Washington, and its bearing on concepts of vegetation classification. *Ecological Monographs* 22: 301-330.

- Darrow, J. 1971. A brief ecological review and plant checklist of the Copper Breaks State Park, Hardeman County, Texas. USDA Soil Conservation Service, Vernon, Tex.
- Davis, A. M. 1942. A study of Boscaje de la Palma in Cameron County, Texas, and of *Sabal texana*. Master's thesis, University of Texas, Austin.
- Davis, R. B. and R. L. Spicer. 1965. Status of the practice of brush control in the Rio Grande Plain. TPWD Bulletin no. 46.
- Denkhaus, R. 2000. Personal communication. City of Fort Worth, Tex.
- Denyes, H. A. 1956. Natural terrestrial communities of Brewster County, Texas, with special reference to the distribution of the mammals. *American Midland Naturalist* 55: 289-320.
- Dhillon, S. S. and M. H. Mills. 1999. The sand shinnery oak (*Quercus havardii*) communities of the Llano Estacado: history, structure, ecology, and restoration. In: Savannas, barrens, and rock outcrop plant communities of North America, pp. 231-246. R. C. Anderson, J. S. Fralish and J. M. Baskin, eds. Cambridge University Press, Cambridge, U.K.
- Diamond, D. D. 1993. Classification of the plant communities of Texas (series level). TPWD Texas Natural Heritage Program, Austin.
- Diamond, D. D. and T. E. Fulbright. 1990. Contemporary plant communities of the upland grasslands of the Coastal Sand Plain, Texas. *Southwestern Naturalist* 35: 385-392.
- Diamond, D. D. and F. E. Smeins. 1984. Remnant grassland vegetation and ecological affinities of the Upper Coastal Prairie of Texas. *Southwestern Naturalist* 29: 321-334.
- Diamond, D. D. and F. E. Smeins. 1985. Composition, classification and species response patterns of remnant tallgrass prairies in Texas. *American Midland Naturalist* 113: 294-308.
- Diamond, D. D., D. H. Riskind and S. L. Orzell. 1987. A framework for plant community classification and conservation in Texas. *Texas Journal of Science* 39: 203-221.
- Diamond, D. D., G. A. Rowell, and D. P. Keddy-Hector. 1995. Conservation of Ashe juniper (*Juniperus ashei* Buchholz) woodlands of the central Texas Hill Country. *Natural Areas Journal* 15: 189-197.
- Dick-Peddie, W. A. 1993. New Mexico vegetation: past, present, and future. University of New Mexico Press, Albuquerque.
- Diggs, G. M., B. L. Lipscomb, and R. O'Kennon. 1999. Shinner's and Mahler's illustrated flora of north central Texas. Botanical Research Institute of Texas, Fort Worth.
- Dolezel, R. 1986. Water, soils and agriculture on bottomland sites. In: Bottomland hardwoods in Texas: proceedings of an interagency workshop on status and ecology, May 6-7, 1986, pp. 71-73. C. A. McMahan and R. G. Frye, eds. Nacogdoches, Tex.
- Doughty, R. W. 1983. Wildlife and man in Texas: environmental change and conservation. Texas A&M University Press, College Station.
- Drawe, D. L., A. D. Chamrad and T. W. Box. 1978. Plant communities of the Welder Wildlife Refuge (rev.). Welder Wildlife Foundation Contrib. No 5.

- Drawe, D. L., and I. Higginbotham, Jr. 1980. Plant communities of the Zachry Ranch in the South Texas Plains. *Texas Journal of Science* 32: 319-332.
- Drawe, D. L., K. R. Kattner, W. H. McFarland and D. D. Netter. 1981. Vegetation and soil properties of five habitat types on north Padre Island. *Texas Journal of Science* 33: 145-157.
- Dumesnil, M. 2000. Personal communication. Nature Conservancy of Texas, Mad Island Marsh Preserve.
- Durham, G. P. 1975. The botanical and nutritive composition of winter diets of cattle grazing prairie on the Texas Gulf Coast. Master's thesis, Texas A&M University, College Station.
- Dye, K. L. II, D. N. Ueckert, and S. G. Whisenant. 1995. Redberry juniper-herbaceous understory interactions. *Journal of Range Management* 48: 100-107.
- Dyksterhuis, E.J. 1946. The vegetation of the Fort Worth Plains Prairie. *Ecological Monographs* 16: 1-29.
- Dyksterhuis, E. J. 1948. The vegetation of western Cross Timbers. *Ecological Monographs* 18: 325-376.
- Eidson, J. 2000. Personal communication. Nature Conservancy of Texas, Greenville.
- Elliott, L. 2000. Personal communication. USFWS, Corpus Christi, Tex.
- Ellis, D. and J. L. Schuster. 1968. Juniper age and distribution on an isolated butte in Garza County, Texas. *Southwestern Naturalist* 13: 343-377.
- Espey Huston and Associates, Inc. 1987. Report on minimum flow considerations, terrain migration and ecological effects of Little Cypress Reservoir.
- Everitt, J. H. and C. L. Gonzalez. 1979. Botanical composition and nutrient content of fall and early winter diets of white-tailed deer in South Texas. *Southwestern Naturalist* 24: 297-310.
- Everitt, J. H., C. L. Gonzalez, and A. H. Gerbermann. 1988. Botanical composition of eleven South Texas rangeland sites. Proc. Tamaulipan Biotic Province Symposium, TPWD.
- Eyre, F. H., ed. 1980. Forest cover types of the United States and Canada. Society of American Foresters, Washington, D.C.
- Fanning, C. D., C. M. Thompson, and D. Issacs. 1965. Properties of saline soils of the Rio Grande Plain. *Journal of Range Management* 18: 190-19
- Farrald, C. and R. I. Lonard. 1984. Comparative vegetational analysis of a dry basin and a shallow pond within the bed of Cattail Lake, Santa Ana NWR, Texas. *Texas Journal of Science* 36: 149-161.
- Federal Geographic Data Committee. 1997. Vegetation classification standard, FGDC-STD-005. www.fgdc.gov/Standards/Documents/Standards/Vegetation
- Fleetwood, R. J. 1973. Plants of Brazoria/San Bernard National Wildlife Refuges, Brazoria County, Texas. Fish and Wildlife Service, Angleton, Tex.
- Ford, A. L., and O. W. Van Auken. 1982. The distribution of woody species in the Guadalupe River floodplain forest in the Edwards Plateau of Texas. *Southwestern Naturalist* 27: 383-392.
- Fountain, M. S. and W. H. Risner. 1988. Woody vegetation of a natural pine-hardwood woodland in San Augustine County, Texas. *Texas Journal of Science* 40: 347-352.
- Fowler, N. L. and D. W. Dunlap. 1986. Grassland vegetation of the eastern Edwards Plateau. *American Midland Naturalist* 115:146-155.

- Fritz, E. C. 1986. Realms of beauty: the wilderness areas of East Texas. University of Texas Press, Austin.
- Frost, C. C., J. Walker and R.K. Peet. 1986. Fire-dependent savannas and prairies of the Southeast: original extent, preservation status and management problems. In: Wilderness and natural areas in the eastern United States: a management challenge, pp. 348-356. D. L. Kulhavy and R. N. Conner, eds. Stephen F. Austin University, Nacogdoches.
- Frost, S. L. 1949. The forest regions of Texas. *Texas Journal of Science* 1:52-55.
- Frye, R. G. 1987. Bottomland hardwoods -- current supply, status, habitat quality and future impacts from reservoirs. In: Bottomland hardwoods in Texas. Proc. Interagency Workshop on Status and Ecology, May 6-7, 1986, Nacogdoches, Texas, pp. 24-28. C. A. McMahan and R. G. Frye, eds. TPWD Wildlife Division.
- Gardner, J. L. 1950. Effects of thirty years of protection from grazing in desert grassland. *Ecology* 31: 44-50.
- Gehlbach, F. R. 1967. Vegetation of the Guadalupe Escarpment, New Mexico-Texas. *Ecology* 48: 404-419.
- Gehlbach, F. R. 1975. Investigation, evaluation, and priority ranking of natural areas. *Biological Conservation* 8: 79-88.
- Gehlbach, F. R. 1981. Mountain islands and desert seas. Texas A&M University Press, College Station.
- Gehlbach, F.R. and R.C. Gardner. 1983. Relationships of sugar maples (*Acer saccharum* and *A. grandidentatum*) in Texas and Oklahoma with special reference to relict populations. *Texas Journal of Science* 35:231-237.
- Glass, M. R., R. E. Reisch and G. M. Ahlstrand. 1974. Range condition survey and wildlife browse analysis, Carlsbad Caverns and Guadalupe Mountains National Parks. National Park Service.
- Gould, F. W. 1975. Texas plants --- a checklist and ecological summary (rev.). Texas Agricultural Experiment Station, Texas A&M University, College Station.
- Gould, F.W., G.O. Hoffman and C.A. Rechenthin. 1960. Vegetational areas of Texas. Texas A&M University, Tex. Agr. Extension Service L-492, College Station.
- Governor's Task Force on Conservation. 2000. Taking care of Texas: a report from the Governor's Task Force on Conservation (draft). Rept. to Governor's Office, Austin, Tex. pursuant to Exec. Order OO-1.
- Gow, J. E. 1904. An ecological study of Sabine and Neches valleys, Texas. *Proc. Iowa Academy of Science* 12: 39-47.
- Grimes, W. 2000. Personal communication. Texas General Land Office, Austin.
- Grover, H. D. and H. B. Musick. 1990. Shrubland encroachment in southern New Mexico, USA: an analysis of desertification processes in the American Southwest. *Climatic Change* 17:305-330.
- Halloran, A. F. 1961. The carnivores and ungulates of the Aransas National Wildlife Refuge, Texas. *Southwestern Naturalist* 6: 21-26.
- Harcombe, P.A., J.S. Glitzenstein, R. G. Knox, S.L. Orzell, and E.L. Bridges. 1993. Vegetation of the longleaf pine region of the west Gulf coastal plain. *Proc. Tall Timbers Fire Ecology Conference* 18: 83-104. Tall Timbers Research Station, Tallahassee, Fla.

- Harcombe, P. A. and J. E. Neville. 1977. Vegetation types of Chambers County, Texas. *Texas Journal of Science* 29: 209-234.
- Hatch, S. L., J. N. Gandhi and L. E. Brown. 1990. Checklist of the vascular plants of Texas. TAES MP-1655. Texas Agr. Exp Station, Texas A&M University, College Station.
- Haukos, D. A. and L. M. Smith. 1997. Common flora of the playa lakes. Texas Tech University Press, Lubbock.
- Havard, V. 1885. Report on the flora of western and southern Texas. *Proc. U.S. National Museum* 29, 449-553.
- Heep, M. and G. Lester. 1999. The arroyo colorado brush of the Lower Rio Grande Valley, Texas. In: The Lower Rio Grande Valley and its many ecosystems, pp. 15-21. Native Plant Society of Texas sym. proc., Oct. 14-17, 1999.
- Heerwagen, A. and A. R. Aandahl. 1961. Utility of soil classification units in characterizing native grassland plant communities in the southern plains. *Journal of Range Management* 14: 207-212.
- Heitschmidt, R. K. and R. D. Schultz. 1985. Effects of drought on a grassland in the northern Rolling Plains of Texas. *Southwestern Naturalist* 30: 319-320.
- Hellmann, M. 2000. Personal communication. Dallas Nature Center, Dallas, Tex.
- Helm, V. and T. W. Box. 1970. Vegetation and soils of two southern High Plains range sites. *Journal of Range Management* 23: 447-450.
- Henrickson, J. 1977. Saline habitats and halophytic vegetation of the Chihuahuan Desert region. In: Transactions of the symposium on the biological resources of the Chihuahuan Desert region, United States and Mexico, pp. 249-272. R. H. Wauer and D. H. Riskind, eds. U. S. Dept. of the Interior National Park Service Trans. and Proc. no. 3. Washington, D. C.
- Henrickson, J. and M. C. Johnston. 1986. Vegetation and community types of the Chihuahuan Desert. In: Second Symposium on Resources of the Chihuahuan Desert Region, United States and Mexico, pp. 20-29. J. C. Barlow, A. M. Powell and B. N. Timmermann, eds. Chihuahuan Desert Research Institute, Sul Ross State University, Alpine, Tex.
- Hinckley, L. C. 1944. The vegetation of the Mount Livermore area in Texas. *American Midland Naturalist* 32: 236-250
- Hinckley, L. C. 1947. Contrasts in the vegetation of Sierra Vieja in Trans-Pecos Texas. *American Midland Naturalist* 37: 162-178.
- Hoagland, B. W., I. H. Butler, F. L. Johnson, and S. Glenn. 1999. The Cross Timbers. In: Savannas, barrens, and rock outcrop plant communities of North America, pp. 231-246. R. C. Anderson, J. S. Fralish and J. M. Baskin, eds. Cambridge University Press, Cambridge, U.K.
- Humphrey, R. R. 1958. The desert grassland: a history of vegetational change and an analysis of causes. *Botanical Review* 24: 193-252.
- Hunter, M. 1991. Coping with ignorance: the coarse-filter strategy for maintaining biodiversity. In: Balancing on the brink of extinction: the Endangered Species Act and lessons for the future, pp. 256-281. K. A. Kohm, ed. Island Press, Washington, D. C.
- Hutchins, C. R. 1968. Vascular flora of Garza County, Texas. Master's thesis, Texas Technological College, Lubbock, Tex.

- Ideker, J. 1988a. Vegetation of the Kelly Unit, Las Palomas Wildlife Management Area. *Sabal* 5 (4): 1-4.
- Ideker, J. 1988b. Vegetation of the Voshell Unit, Las Palomas Wildlife Management Area. *Sabal* 5 (4): 7-8.
- Ideker, J. 1988c. McManus Unit, Las Palomas Wildlife Management Area. *Sabal* 5 (7): 1-4.
- Ideker, J. 1991. Plans and habitat associations of Unit 1, Laguna Atascosa National Wildlife Refuge, Cameron County, Texas. *Sabal* 8 (1): 1-4.
- Ideker, J. 1992a. Plants of Horse Island, Laguna Atascosa National Wildlife Refuge, Cameron County, Texas. *Sabal* 9 (3): 1-9.
- Ideker, J. 1992b. Plant communities along the Singing Chaparral Trail in Bentsen/Rio Grande Valley State Park, Hidalgo County, Texas.
- Inglis, J. M. 1964. A history of vegetation on the Rio Grande Plain. TPWD Bulletin no. 45.
- Johnson, F. L. 1984. Phytosociology of second-growth forests in Bowie County, Texas. *Southwestern Naturalist* 29: 81-87.
- Johnston, M. C. 1952. Vegetation of eastern Cameron County, Texas. Master's thesis, University of Texas, Austin.
- Johnston, M. C. 1955. Vegetation of the eolian plain and associated coastal features of southern Texas. Ph.D. dissertation, University of Texas, Austin.
- Johnston, M.C. 1963. Past and present grasslands of South Texas and northeastern Mexico. *Ecology* 44: 456-465.
- Johnston, M. C., D. H. Riskind, M. Butterwick, J. Lamb, and S. Osburn. 1976. A botanical survey of the Lower Canyons of the Rio Grande. Division of Natural Resources and Environment, University of Texas at Austin.
- Judd, F. W., R. I. Lonard and S. L. Sides. 1977. The vegetation of South Padre Island, Texas in relation to topography. *Southwestern Naturalist* 22: 31-48.
- Judd, F. W., R. I. Lonard, J. H. Everitt, D. E. Escobar, and M. R. Davis. 1997. Using multispectral videography to distinguish the pattern of zonation and plant species composition in brackish water marshes of the Rio Grande Delta. Internat. Conf. on Remote Sensing for Marine and Coastal Environments, Orlando, Fla., 17-19 March 1997.
- Karges, J. 2000. Personal communication. Nature Conservancy of Texas, Fort Stockton.
- Kennedy, W. 1841. The rise, progress, and prospects of the Republic of Texas. Quoted in Dyksterhuis, E. J. 1948. The vegetation of West Cross Timbers. *Ecological Monographs* 18: 325-376.
- Kroh, G. C. and J. Nisbet. 1983. Some structural aspects of a western Cross Timbers forest in north central Texas. *Texas Journal of Science* 35: 41-45.
- Küchler, A. W. 1964. Potential natural vegetation of the conterminous United States. Special Pub. 36, American Geographical Society, New York, N.Y.
- Küchler, A. W. 1974. A new vegetation map of Kansas. *Ecology* 55: 586-604.
- Labus, Z. 1989. A vegetational survey of Seminole Canyon State Historical Park. Master's thesis, Southwest Texas State University, San Marcos.
- Laine, S. C. and E. W. Ramsey, III. 1998. Landcover classification for Padre Island National Seashore. Prepared for the National Park Service. U.S. Geological Survey National Wetlands Research Center, Lafayette, La.

- Lange, M. 2000. Personal communication. USFWS, Angleton, Tex.
- Langford, J. O. and F. Gipson. 1952. Big Bend: a homesteader's story. University of Texas Press, Austin.
- Langston, S. A. 1974. Woody vegetation of mesic uplands in Nacogdoches and Rusk counties, Texas. Master's thesis, SFASU, Nacogdoches, Tex.
- Larson, D. 2000. Personal communication. National Park Service, Amistad National Recreation Area, Tex.
- Launchbaugh, J. R. 1955. Vegetational changes in the San Antonio Prairie associated with grazing, retirement from grazing, and abandonment from cultivation. *Ecological Monographs* 25: 39-57.
- Littlejohn, R. O., Jr. 1979. Woody vegetation associated with six oxbow lakes in east Texas. Master's thesis, Stephen F. Austin State University, Nacogdoches, Tex.
- Lonard, R. I. 1993. Guide to grasses of the Lower Rio Grande Valley, Texas. Illustr. N. A. Browne and A. L. Egle. University of Texas-Pan American Press, Edinburg, Tex.
- Lonard, R. I., F. W. Judd and S. L. Sides. 1978. Annotated checklist of the flowering plants of South Padre Island, Texas. *Southwestern Naturalist* 23: 497-510.
- Lonard, R. I. and F. W. Judd. 1985. Effects of a severe freeze on native woody plants in the lower Rio Grande Valley, Texas. *Southwestern Naturalist* 30: 397-403.
- Lonard, R. I. 2000. Personal communication. University of Texas-Pan American, Edinburg.
- Lower Colorado River Authority. 1995. Rare, threatened and endangered species on LCRA lands: survey findings and analysis, 1992-1993-1994. D. Chamberlain, S. Kuhl, D. Melton, T. Schumann, investigators.
- Lyndon B. Johnson School of Public Affairs. 1978. Preserving Texas' natural heritage. Policy Research Project Rept. 31, University of Texas at Austin.
- MacMahon, J. A. 1988. Warm deserts. In: North American terrestrial vegetation. M. G. Barbour and W. D. Billings, eds. Cambridge University Press, U.K.
- MacRoberts, B. R., and M. H. MacRoberts. 1991. Floristics of three bogs in western Louisiana. *Phytologia* 70: 135-141.
- MacRoberts, M. H., and B. R. MacRoberts. 1992. Floristics of a sandstone glade in western Louisiana. *Phytologia* 72: 130-138. 75:463-480
- MacRoberts, B. R. and M. H. MacRoberts. 1996. Floristics of xeric sandhills in East Texas. *Phytologia* 80: 1-7.
- MacRoberts, B. R. and M. H. MacRoberts. 2000. Personal communication. Bog Research, Shreveport, La.
- Malin, J. C. 1953. Soil, animal, and plant relations of the grassland, historically reconsidered. *Scientific Monthly* 76:207-220.
- Marcus, S. 2000. Personal communication. U.S. Fish and Wildlife Service, Liberty, Tex.
- Marcy, L. E. 1982. Habitat types of the Eastern Cross Timbers of Texas. Master's thesis, Texas Tech University, Lubbock.
- Marietta, K. L. 1979. Vegetation of three upland communities in east Texas. Master's thesis, SFASU, Nacogdoches, Tex.
- Marietta, K. L. and E. S. Nixon. 1983. Vegetational analysis of a post oak-black hickory community in eastern Texas. *Texas Journal of Science* 35: 197-203.

- Marietta, K. L., and E. S. Nixon. 1984. Vegetation of an open, prairie-like community in eastern Texas. *Texas Journal of Science* 36:25-32.
- Marks, P.L. and P.A. Harcombe. 1981. Forest vegetation of the Big Thicket, southeast Texas. *Ecological Monographs* 51: 287-305.
- Matos, J. A. and D. C. Rudolph. 1985. The vegetation of the Roy E. Larsen Sandylands Sanctuary in the Big Thicket of Texas. *Castanea* 50: 228-249.
- Maxwell, T. C. 1979. Avifauna of the Concho Valley of west-central Texas with special reference to historical change. Master's thesis, Texas A&M University, College Station.
- McAlister, W. H. and M. K. McAlister. 1987. Guidebook to the Aransas National Wildlife Refuge. Mince Country Press, Victoria, Tex.
- McAlister, W. H. 2000. Personal communication. USFWS, Matagorda Island National Wildlife Refuge, Tex.
- McBryde, J. B. 1933. The vegetation and habitat of the Carrizo Sands. *Ecological Monographs* 3: 247-297.
- McClintock, W. A. 1930. Journal of a trip through Texas and northern Mexico in 1846-47. *Southwestern Historical Quarterly* 34
- McFarlane, R. W. 1995. Upland Coastal Prairie of Texas and Louisiana: description, human impacts and management options. Rept. to Houston Audubon Society, Houston, Tex.
- McGinty, A., F. E. Smeins, and L. B. Merrill. 1983. Influence of spring burning on cattle diets and performance on the Edwards Plateau. *Journal of Range Management* 36: 175-178.
- McLendon, T. 1991. Preliminary description of the vegetation of south Texas exclusive of coastal saline zones. *Texas Journal of Science* 43: 13-32.
- McLeod, C. A. 1971. The Big Thicket Forest of east Texas. *Texas Journal of Science* 23:221-233.
- McLeod, C. A. 1975. Southwestern limit of *Fagus grandifolia* Ehrh. *Texas Journal of Science* 26: 179-184.
- McMahan, C. A. and R. G. Frye. 1987. Bottomland hardwoods in Texas. Proc. of an interagency workshop on status and ecology, May 6-7, 1986. TPWD Wildlife Division PWD-RP-7100-133.
- McMahan, C. A., R. G. Frye and K. L. Brown. 1984. The vegetation types of Texas including cropland: an illustrated synopsis to accompany the map. Contrib. Pittman-Robertson Project W-107-R, TPWD Wildlife Division, Austin.
- McNamara, D. 2000. Personal communication. The Conservation Fund, Austin, Tex.
- McWhorter, I. 2000. Personal communication. Nature Conservancy of Texas, Silsbee.
- Mecham, J. S. 1955. A biogeographic study of the reptiles and amphibians of the Guadalupe Mountains. Ph.D. dissertation, University of Texas at Austin,
- Morafka, D.J. 1977. A biogeographical analysis of the Chihuahuan Desert through its herpetofauna. Dr. W. Junk, The Hague, Netherlands.
- Moulton, D. W. and J .S. Jacob. 2000. Texas coastal wetlands guidebook. Texas A&M University Sea Grant Program. Pub. TAMU-SG-00-605.
- Morrow, M. B. 1931. Correlation between plant communities and the reaction and micro-flora of the soil in south central Texas. *Ecology* 12: 497-50.

- Mundorff, K. T. 1998. Ecological classification of bottomland forests in east Texas and central Louisiana. Master's thesis, Stephen F. Austin State University, Nacogdoches, Tex.
- National Park Service. 1996. Resources management plan, Lake Meredith National Recreation Area and Alibates Flint Quarries National Monument, December 1996.
- National Park Service. 1997a. Big Thicket National Preserve vegetation. Marks, P.L. and P.A. Harcombe, principal invest. Arc/Info geospatial dataset.
- National Park Service. 1997b. General management plan environmental assessment, Palo Alto Battlefield National Historic Site Brownsville, Tex.
- National Park Service. 1998. Guadalupe Mountains National Park Vegetation. Arc/Info geospatial dataset.
- Neal, J. 2000. Personal communication. USFWS, Nacogdoches, Tex.
- Nelka, J. 2000. Personal communication. Parks and Recreation Department, San Antonio, Tex.
- Nelle, S. 1993. The ecology of mesquite in the Rolling Plains. In: The Rolling Plains and its many ecosystems, pp. 50-58. Native Plant Society of Texas symposium proc.
- Nesom, G. L., B. R. MacRoberts and M. H. MacRoberts. 1997. A new plant community type in southeast Texas related to baygalls. *Phytologia* 83: 371-383.
- Neuenschwander, L. F., H. A. Wright and S. C. Bunting. 1978. The effect of fire on a tobosagrass-mesquite community in the Rolling Plains of Texas. *Southwestern Naturalist* 23: 315-338.
- Nixon, E. S., L. F. Chambless and J. L. Malloy. 1973. Woody vegetation of a palmetto (*Sabal minor* (Jacq.) Pers.) area in Texas. *Texas Journal of Science* 26: 535-541.
- Nixon, E. S., R. L. Ehrhart, S. A. Jasper, J. S. Neck and J. R. Ward. 1983. Woody, streamside vegetation of Prairie Creek in east Texas. *Texas Journal of Science* 35: 205-213.
- Nixon, E. S., and R. J. George. 1990. The herbaceous flora of three Weches Formation outcrops in eastern Texas. *Sida* 14:117-127.
- Nixon, E. S., K. L. Marietta, R. O. Littlejohn, and H. B. Weyland. 1980. Woody vegetation of an American beech (*Fagus grandifolia*) community in eastern Texas. *Castanea* 45:171-180.
- Nixon, E. S., J. Matos and R. S. Hansen. 1987. The response of woody vegetation to a topographic gradient in eastern Texas. *Texas Journal of Science* 39: 367-375.
- Nixon, E. S. and J. R. Ward. 1988. Vegetation of a wet creek bottom site in eastern Texas. *Texas Journal of Science* 40: 358-361.
- Nixon, E. S., J. R. Ward, E. A. Fountain and J. S. Neck. 1991. Woody vegetation of an old-growth creekbottom forest in north-central Texas. *Texas Journal of Science* 43:157-164.
- Nixon, E. S., R. L. Willett, and P.W. Cox. 1977. Woody vegetation of a virgin forest in an eastern Texas river bottom. *Castanea* 42: 227-236.
- Nymeyer, L. 2000. Personal communication. National Park Service, Lake Meredith National Recreation Area, Tex.

- O'Kennon, R. 2000. Personal communication. Botanical Research Institute of Texas, Fort Worth.
- Ortego, B. 2000. Personal communication. TPWD, Victoria.
- Orzell, S.L. 1990. Texas Natural Heritage Program inventory of national forest and national grasslands in Texas. TPWD, Austin.
- Pace, W. L. and D. H. Riskind. 1973. Revegetation plan for Copper Breaks State Park. Unpub. document, TPWD Resource Management Division.
- Palmer, E. J. 1928. A botanical trip through the Chisos Mountains of Texas. *Journal of Harvard University Arnold Arboretum* 9:153-173.
- Palmer, E. J. 1929. The ligneous flora of the Davis Mountains. *Journal of Harvard University Arnold Arboretum* 10: 8-45.
- Patterson, T. 2000. Personal communication. South Texas Community College, South Padre Island, Tex.
- Penfound, W. T. 1953. Plant communities of Oklahoma lakes. *Ecology* 34:561-583.
- Penfound, W. T. and E. S. Hathaway. Plant communities in the marshlands of southeastern Louisiana. *Ecological Monographs* 8: 3-56.
- Petersen, J. L., D. N. Ueckert, R. L. Potter and J. E. Huston. 1987. Ecotypic variation in selected fourwing saltbush populations in western Texas. *Journal of Range Management* 40: 361-366.
- Petranka, J. W. and R. Holland. 1980. A quantitative analysis of bottomland communities in south-central Oklahoma. *Southwestern Naturalist* 25: 207-214.
- Pilko and Associates, Inc. 1999. Operation plan and environmental assessment for a proposed 3-D seismic program on Anahuac National Wildlife Refuge, Chambers County, Texas. Prepared for Veritas Land Surveys.
- Platt, S. G., and C. G. Brantley. 1997. Canebrakes: an ecological and historical perspective. *Castanea* 62: 8-21.
- Plumb, G. A. 1988. An algorithmic approach to automated vegetation mapping of Big Bend National Park, Texas. Ph.D. dissertation, University of Kansas, Lawrence.
- Plumb, G. A. 1992. Vegetation classifications of Big Bend National Park, Texas. *Texas Journal of Science* 44, 375-387.
- Pollock, M. T., Whittaker, D. G., S. Demarais, and R. E. Zaiglin. 1994. Vegetation characteristics influencing site selection by male white-tailed deer in Texas. *Journal of Range Management* 47: 235-239.
- Poole, J. M. 1985. Field survey of Sal del Rey Tract, 18 October 1985. Unpub. report, TPWD Natural Heritage Program.
- Poole, J. M. 1999. Personal communication. TPWD, Austin.
- Potzger, J. E. and Tharp, B. C. 1947. Pollen profile from an East Texas bog. *Ecology* 28: 274-280.
- Powell, A. M. 1994. Grasses of the Trans-Pecos and adjacent areas. University of Texas Press, Austin.
- Powell, A. M. 1998a. Trees and shrubs of the Trans-Pecos and adjacent areas. 2nd ed. University of Texas Press, Austin.
- Powell, A. M. 1998b. Plant communities of the Chihuahuan Desert region. *Wildflower* 14: 38-45.
- Powell, A. M. 2000. Personal communication. Sul Ross State University, Alpine, Tex.

- Powell, A. M., and B. L. Turner. 1974. Aspects of the plant biology of the gypsum outcrops of the Chihuahuan Desert. In: Trans. of the symp. on the biological resources of the Chihuahuan Desert region, United States and Mexico., pp. 315-325. R. H. Wauer and D. H. Riskind, eds. National Park Service, Washington, D. C.
- Powell, A. M. and M. P. Whitefield. 1994. Botanical investigations. In: Biodiversity survey of the North Rosillos area, Big Bend National Park, pp. 34-63. Rept. submitted to National Park Service. D. J. Schmidly, proj. coord.
- Raines, J. A. 1971. Woody creekside vegetation of Nacogdoches County, Texas. Master's thesis, Stephen F. Austin State University, Nacogdoches, Tex.
- Raun, G. G. 1959. Terrestrial and aquatic vertebrates of a moist, relict area in central Texas. *Texas Journal of Science* 11: 158-171
- Reed, E. L. 1930. Vegetation of the playa lakes in the Staked Plains of western Texas. *Ecology* 11: 597-600.
- Reed, M. 2000. Personal communication. Texas A&M University Department of Biology, Herbarium. College Station, Tex.
- Reese, T. V. 1981. The herbaceous flora of three Weches outcrops in east Texas. Master's thesis, Stephen F. Austin State University, Nacogdoches, Tex.
- Rice, E. L. 1960. The microclimate of a relict stand of sugar maple in Devils Canyon in Canadian County, Oklahoma. *Ecology* 41: 445-453.
- Riskind, D. H. and O. B. Collins. 1975. The Blackland Prairie of Texas: conservation of representative climax remnants. In: *Prairie: a multiple view*, pp. 75-88. M. K. Wali, ed. University North Dakota Press, Grand Forks.
- Riskind, D. H., and D. D. Diamond. 1988. An introduction to environments and vegetation. In: *Edwards Plateau vegetation: plant ecological studies in central Texas*, pp. 1-15. Amos, B. and F. R. Gehlbach, eds. Baylor University Press, Waco, Tex.
- Riskind, D. H. and J. Moreland. 1973. The woody vegetation of the Buescher Division. University of Texas System Cancer Center Extramural Programs Division.
- Rogers, T. D. 1964. Biological observations with emphasis on the vegetation of the Black Gap Wildlife Management Area, Brewster County, Texas. Master's thesis, Sul Ross State College, Alpine, Tex.
- Rossignol, T. 2000. Personal communication. U.S. Fish and Wildlife Service, Attwater's Prairie Chicken National Wildlife Refuge, Tex.
- Rowell, C. M. 1949. A preliminary report on the floral composition of a *Sphagnum* bog in Robertson County, Texas. *Texas Journal of Science* 1: 50-53.
- Rowell, C. M. 1957. Summer flora of the Gene Howe Wildlife Management Area, Hemphill County, Texas. *Southwestern Naturalist* 2: 155-171.
- Rowell, C. M. 1967. Vascular plants of the Texas Panhandle and South Plains. PhD. dissertation, Oklahoma State University, Stillwater.
- Russell, F. L. and N. L. Fowler. 1999. Rarity of oak saplings in savannas and woodlands of the eastern Edwards Plateau, Texas. *Southwestern Naturalist* 44: 31-41.
- Ruthven, D. C. III, T. E. Fulbright, S. L. Beasom, and E. C. Hellgren. 1993. Long-term effects of root plowing on vegetation in the eastern South Texas Plains. *Journal of Range Management* 46: 351-354.

- Sanders, R. W. 1994. Vegetation survey: Lennox Woods Preserve, Red River County, Texas. Report for Texas Nature Conservancy. Botanical Research Institute of Texas, Fort Worth.
- Sanders, R. W. 1997. Cleburne State Park baseline vegetation. Unpub. document, Botanical Research Institute of Texas, Fort Worth.
- Schafale, M. P. and P. A. Harcombe. 1983. Presettlement vegetation of Hardin County, Texas. *American Midland Naturalist* 109: 355-366.
- Schaumberg and Polk, Inc. 2000. Draft regional water plan -- East Texas Region -- Region I.
- Schuster, J. L. 1962. Composition and yields of understory vegetation in an east Texas pine-hardwood type as related to timber stand and habitat factors. Master's thesis, Texas A&M University, College Station.
- Scifres, C. J. and J. L. Mutz. 1975. Secondary succession following extended inundation of Texas coastal rangeland. *Journal of Range Management* 28:279-282.
- Scifres, C. J., J. W. McAtee and D. L. Drawe. 1980. Botanical, edaphic and water relationships of Gulf cordgrass (*Spartina spartinae* [Trin.] Hitchc.) and associated communities. *Southwestern Naturalist* 25: 397-410.
- Seaman, B. 2000. Personal communication. Arborological Services, Inc., Dallas, Tex.
- Sexton, C. 2000. Personal communication. USFWS, Austin, Tex.
- Sellards, E. H, W. S. Adkins, and F. B. Plummer. 1932. The geology of Texas. University of Texas Bulletin no. 3232. Austin, Tex.
- Shiflet, T. N. 1963. Major ecological factors controlling plant communities in Louisiana marshes. *Journal of Range Management* 16: 231-235.
- Sikes, S. and J. Smith. 1973. Victorio Canyon-a vegetational study. In Victorio Canyon: a natural area survey, pp. 51-93. Division of Natural Resources and Environment, University of Texas at Austin.
- Sikes, S. and J. Smith. 1975a. Davis Mountains vegetational study. In Mount Livermore and Sawtooth Mountain: a natural area survey, supplement, pp. 1-23. Division of Natural Resources and Environment, University of Texas at Austin.
- Sikes, S. and J. Smith. 1975b. A vegetational study of the Canadian River Breaks. In Canadian Breaks: a natural area survey, pp. 46-58. University of Texas at Austin Division of Natural Resources and Environment.
- Simpson, B. J. 1988. A field guide to Texas trees. Texas Monthly Press, Austin.
- Singhurst, J. R. 2000. Personal communication. TPWD, Austin.
- Singhurst, J. R., J. Cathy, D. Prochaska, H. Haucke and W. C. Holmes. 2000. Vascular flora of Gus Engeling Wildlife Management Area, Anderson County, Texas. Draft.
- Singhurst, J. R., J. W. Smith, Jr., and W. C. Holmes. 1998. *Enemion biternatum* Raf. (Ranunculaceae) in Texas. *Phytologia* 95: 130-133.
- Smeins, F. E. and D. D. Diamond. 1983. Remnant grasslands of the Fayette Prairie. *American Midland Naturalist* 110: 1-13.
- Smeins, F. E. and D. D. Diamond. 1986. Grasslands and savannas of east central Texas, ecology, preservation status, and management problems. In: Wilderness and natural areas in the eastern United States: a management

- challenge, pp. 381-394. D. L. Kulhavy and R. N. Conner, eds. Stephen F. Austin State University, Nacogdoches, Tex.
- Smeins, F. E., T. W. Taylor and L. B. Merrill. 1976. Vegetation of a 25-year enclosure on the Edwards Plateau, Texas. *Journal of Range Management* 29: 24-29.
- Smith, C. 2000. Personal communication. The Nature Conservancy, Harlingen, Tex.
- Springer, M. D., T. E. Fulbright and S. L. Beasom. 1987. Long-term response of live oak thickets to prescribed burning. *Texas Journal of Science* 39: 89-95.
- Stewart, J. R. , Jr. 1998. Houston Audubon Society sanctuaries: an inventory. Unpub. doc., Houston Audubon Society.
- Streng, D. R., and P.A. Harcombe. 1982. Why don't east Texas savannas grow up to be forest? *American Midland Naturalist* 108: 278-294.
- Telfair, R. C., II. 1988. Conservation of the Catfish Creek ecosystem: a national natural landmark in eastern Texas. *Texas Journal of Science* 40: 11-23.
- Terletzky, P. A. and O. W. Van Auken. 1996. Comparison of cedar glades and associated woodlands in the southern Edwards Plateau. *Texas Journal of Science* 48: 55-67.
- Texas Center for Policy Studies. 2000. Texas environmental almanac. M. Sanger and C. Reed, compilers. University of Texas Press, Austin.
- Texas General Land Office. 1998. Priority protection areas on the Texas Gulf Coast. ARC/INFO geospatial dataset. www.tnris.state.tx.us/pub/glo/priority.e00.
- Texas General Land Office. 2000. Real property evaluation reports: Texas Parks and Wildlife Commission. Prepared for the 76th Texas Legislature. Austin, Tex.
- Texas Parks and Wildlife Department. 1978. Master plan, Hale Ranch State Park. TPWD Parks Division, July 1978.
- TPWD. 1979. Environmental assessment for master plan for Bryan Beach State Recreation Area, June 1979. R. Neck, principal investigator.
- TPWD. 1988. Field survey of Guadalupe River State Park, 4 November and 9 November 1988.
- TPWD. 1989a. Master plan and site analysis for Village Creek State Park, Hardin County, Texas. R. Neck, invest.
- TPWD. 1989b. Copper Breaks State Park summary of representative plant communities, September 1989. Unpub. doc., pt. of Department lands inventory series. TPWD Resource Protection Division, Austin.
- TPWD. 1989c. Atlanta State Recreation Area summary of representative plant communities, October 1989.
- TPWD. 1989d. Purtilo Creek State Recreation Area summary of representative plant communities, October 1989.
- TPWD. 1989e. Daingerfield State Park summary of representative plant communities, October 1989.
- TPWD. 1989f. Monahans Sandhills State Park summary of representative plant communities, October 1989.
- TPWD. 1989g. Colorado Bend State Park summary of representative plant communities, November 1989.
- TPWD. 1990a. Eisenhower State Recreation Area summary of representative plant communities, February 1990.
- TPWD. 1990b. Cassells-Boykin State Park, Angelina County, Tex. summary of representative plant communities, March 1990.

- TPWD. 1990c. Davis Hill State Park, Liberty County, Texas, summary of state representative communities, March 1990.
- TPWD. 1990d. Choke Canyon State Park, Live Oak and McMullen counties, Texas: summary of representative plant communities, May 1990.
- TPWD. 1990e. Dinosaur Valley State Park summary of representative plant communities, August 1990.
- TPWD. 1990f. Bastrop State Park summary of representative plant communities, August 1990.
- TPWD. 1990g. Big Spring State Recreation Area summary of representative plant communities, August 1990.
- TPWD. 1990h. Bentsen-Rio Grande Valley State Park summary of representative plant communities, August 1990. W. R. Carr, principal invest.
- TPWD. 1990i. Davis Mountains State Park summary of representative plant communities.
- TPWD. 1991. Blanco State Recreation Area, Blanco County, Texas: summary of representative plant communities, July 1991; revised October 1995.
- TPWD. 1992. Dolan Falls ranch: report on a brief botanical survey. Unpub. document, TPWD Natural Heritage Program. W. R. Carr, principal invest.
- TPWD. 1993. Cedar Hill State Park: summary of representative plant communities, April 1993.
- TPWD. 1994. Devil's Sinkhole State Natural Area summary of representative plant communities. Supplement to rept. of J. Poole, 1989.
- TPWD. 1996. Ecosystem survey (master). Internal rept. Resource Protection Division, Austin.
- Tharp, B. C. 1926. Structure of the Texas vegetation east of the 98th meridian. University of Texas Bulletin no. 2606.
- Tharp, B. C. 1939. The vegetation of Texas. Anson Jones Press, Houston.
- Thompson, W. L. 1953. The ecological distribution of the birds of the Black Gap area, Brewster County, Texas. *Texas Journal of Science* 5: 158-177.
- Timmons, D. E. 1942. A biotic survey of Brazos County, Texas. Master's thesis, Texas A&M University, College Station, Tex.
- Tinkham, E. R. 1948. Faunistic and ecological studies on the orthoptera of the Big Bend Region of Trans-Pecos Texas, with especial reference to the orthopteran zones and faunae of midwestern North America. *American Midland Naturalist* 40: 521-663.
- Trlica, M. J., Jr., and J. L. Schuster. 1969. Effects of fire on grasses of the Texas High Plains. *Journal of Range Management* 22: 329-333.
- Tucker, R. D. and G. W. Garner. 1983. Habitat selection and vegetational characteristics of antelope fawn bedsites in West Texas. *Journal of Range Management* 36:110-113.
- Turner, A. J. 1982. Soil survey of Willacy County, Texas. USDA Soil Conservation Service and Texas Agricultural Experiment Station.
- Turner, R. L. 1999. Ecosystem classification of four national forests on the west Gulf Coastal Plain of Texas. Master's thesis, Stephen F. Austin State University, Nacogdoches, Tex.
- U. S. Department of Agriculture. 1996. Appendix H: vegetation and natural plant communities. In: Final environmental impact statement (FEIS) for the revised

- land and resource management plan: national forests and grasslands in Texas, pp. H1-H47. USDA Forest Service, Southern Region.
- U. S. Fish and Wildlife Service. 1979. Unique wildlife ecosystems of Texas. Albuquerque, N.M.
- USFWS. 1983. Dept of the Interior land protection plan --- Lower Rio Grande Valley National Wildlife Refuge in Cameron, Hidalgo, Starr and Willacy counties, Texas. Albuquerque, N.M.
- USFWS. 1984. Texas bottomland hardwood preservation program: Department of the Interior final chapter concept plan. USFWS, Albuquerque, N.M.
- USFWS. 1986. Special report: the value and status of inland pothole wetlands in the Lower Rio Grande Valley, Texas. USFWS Ecological Services Division, Corpus Christi, Tex.
- USFWS. 1987. Master plan, Laguna Atascosa National Wildlife Refuge. USFWS Release LGA-001, Harlingen, Tex.
- USFWS. 1991. Region II Wetlands Regional Concept Plan. Albuquerque, N. M.
- USFWS. 1996. Anahuac National Wildlife Refuge vegetation map. J. Neaville, principal invest.
- USFWS. 1997, 1999. Land cover classification for Big Boggy, Brazoria, and San Bernard National Wildlife Refuges. ARC/INFO geospatial dataset. D. Miller and J. Teague, principal investigators.
- USFWS, TPWD, and Texas General Land Office. 1990. Matagorda Island National Wildlife Refuge and State Natural Area comprehensive management plan, December 1990.
- Van Auken, O. W. 1988. Woody vegetation of the southeastern escarpment and plateau. In: Edwards Plateau vegetation: plant ecological studies in central Texas, pp. 43-56. B. B. Amos and F. R. Gehlbach, eds. Baylor University Press, Waco, Tex.
- Van Auken, O. W. 1993. Size distribution patterns and potential population change of some dominant woody species in the Edwards Plateau of Texas. *Texas Journal of Science* 45: 199-210.
- Van Auken, O. W. and J. K. Bush. 1988. Dynamics of establishment, growth and development of black willow and cottonwood in the San Antonio River forest. *Texas Journal of Science* 40: 269-277.
- Van Auken, O. W. and J. K. Bush. 1998. Spatial relationships of *Helianthus paradoxus* (Compositae) and associated salt marsh plants. *Southwestern Naturalist* 43: 313-320.
- Van Auken, O. W., A. L. Ford, and A. Stein. 1979. A comparison of some woody upland and riparian plant communities of the southern Edwards Plateau. *Southwestern Naturalist* 24:165-180.
- Van Auken, O.W., A. L. Ford, A. Stein, and A. G. Stein. 1980. Woody vegetation of upland plant communities of the southern Edwards Plateau. *Texas Journal of Science* 32: 24-35.
- Van Devender, T. R. and W. G. Spaulding. 1979. Developmwnet of vegetation and climate in the southwestern United States. *Science* 204: 701-710.
- Van Kley, J. E. and D. N. Hine. 1998. The wetland vegetation of Caddo Lake. *Texas Journal of Science* 50: 267-290.

- Vora, R. S. 1990. Plant communities of the Santa Ana National Wildlife Refuge, Texas. *Texas Journal of Science*, 42: 115-128.
- Waid, D. D., R. J. Warren and D. Rollins. 1984. Seasonal deer diets in central Texas and their response to brush control. *Southwestern Naturalist* 29: 301-307.
- Walters, T. W., and R. Wyatt. 1982. The vascular flora of granite outcrops in the Central Mineral Region of Texas. *Bull. Torrey Botanical Club* 109: 344-364.
- Walther, P. 2000. Personal communication. U. S. Fish and Wildlife Service, McFaddin National Wildlife Refuge, Tex.
- Ward, J. R. 1980. Section 1: botanical aspects. In: An ecological investigation of Graham Creek: a proposed wilderness area, pp. I-1 - I-82. Stephen F. Austin State University, Nacogdoches, Tex.
- Ward, J. R. and E. S. Nixon. 1992. Woody vegetation of the dry, sandy uplands of east Texas. *Texas Journal of Science* 44: 283-294.
- Warner, S. R. 1942. Soils, vegetation, and ecological succession in Walker County, Texas, as related to wildlife. *Trans. Texas Academy of Science* 26: 70-74, 83-97.
- Warnock, B. H. 1946. The vegetation of the Glass Mountains, Texas. Ph.D. dissertation, University of Texas, Austin.
- Warnock, B. H. 1970. Wildflowers of the Big Bend country, Texas. Sul Ross State University, Alpine, Tex.
- Warnock, B. H. 1974. Wildflowers of the Guadalupe Mountains and the Sand Dune Country, Texas. Sul Ross State University, Alpine, Tex.
- Warnock, B. H. 1977. Wildflowers of the Davis Mountains and Marathon Basin, Texas. Sul Ross State University, Alpine, Tex.
- Warnock, B. H. and W. H. Kittams. 1970. Vegetation map: plant communities of the Big Bend National Park. Sul Ross State University, Alpine, Tex.
- Waterfall, U. T. 1946. Observations on the desert gypsum flora of southwestern Texas and adjacent New Mexico. *American Midland Naturalist* 36: 456-466.
- Watson, G. 1979. Big Thicket plant ecology: an introduction. 2nd ed. Big Thicket Museum, Saratoga, Tex.
- Watson, G. 1980. Vegetational survey of the Big Thicket National Preserve. Unpub. report to the National Park Service. Saratoga, Tex.
- Wauer, R. H. 1971. Ecological distribution of birds in the Chisos Mountains, Texas. *Southwestern Naturalist* 16: 1-29.
- Wauer, R. H. 1980. Naturalist's Big Bend: an introduction to the trees and shrubs, wildflowers, cacti, mammals, birds, reptiles and amphibians, fish and insects. Texas A&M University Press, College Station.
- Weakley, A..S., K. D. Patterson, S. Landaal, M. Pyne, M. J. Russo and others (compilers). 2000. International classification of ecological communities: terrestrial vegetation of the southeastern United States. Texas review subset (February 23, 2000). Nature Conservancy, Chapel Hill, N.C.
- Webster, G. L. 1950. Observations on the vegetation and summer flora of the Stockton Plateau in northeastern Terrell County, Texas. *Texas Journal of Science* 2: 234-242.
- Wells, P. V. 1965. Vegetation of the Dead Horse Mountains, Brewster County, Texas. *Southwestern Naturalist* 10: 256-260.

- Wells, P. V. 1966. Late Pleistocene vegetation and degree of pluvial climatic change in the Chihuahuan Desert. *Science* 153: 970-975.
- Wells, P. V. 1970. Vegetational history of the Great Plains. *Science* 167: 1574-1582.
- Whisenant, S. G. 1981. The vascular flora of McCulloch County, Texas. *Texas Journal of Science* 33: 197-220.
- White, W. A. and J. G. Paine. 1992. Wetland plant communities, Galveston Bay System. E. G. Wermund, principal invest. Galveston Bay National Estuary Program Pub. GBNEP-16.
- White, W. A. 2000. Personal communication. University of Texas Bureau of Economic Geology, Austin.
- Whitehouse, E. 1933. Plant succession on central Texas granite. *Ecology* 14: 391-405.
- Whitfield, C. J., and E. L. Beutner. 1938. Natural vegetation in the desert grassland. *Ecology* 19: 26-37.
- Whitson, P. D. 1970. Dynamics of the shrub desert formation-succulent desert formation transition in BBNP, Texas. Ph.D. dissertation, University of Oklahoma, Norman.
- Whittaker, R. H. 1962. Classification of natural communities. *Botanical Review* 28:1-239.
- Whittaker, R. H., L. E. Gilbert and J. H. Connell. 1979. Analysis of a two-phase pattern in a mesquite grassland, Texas. *Journal of Ecology* 67: 935-952.
- Wiedeman, V. E., and W. T. Penfound. 1960. A preliminary study of the shinnery in Oklahoma. *Southwestern Naturalist* 5: 117-122.
- Wilkinson, D. L. 1982. Analysis of upland and streamside vegetation in the upper Big Thicket. Master's thesis, Texas A&M University, College Station.
- Williams, J. M. 2000. Personal communication. U. S. Fish and Wildlife Service, Hagerman National Wildlife Refuge, Tex.
- Williams, J. S. 1969. West slope arroyo vegetation of the Franklin Mountains. *Texas Journal of Science* 20: 209-220.
- Williams, L. 2000. Personal communication. Nature Conservancy of Texas, McAllen.
- Wilson, R. E. 1989. The vegetation of a pine-oak forest in Franklin County, Texas, and its comparison with a similar forest in Lamar County, Texas. *Texas Journal of Science* 41: 167-176.
- Wilson, R. E. 1990. The eastward recession of the Piney Woods of northeastern Texas, 1815 to 1989. *Texas Journal of Science* 42: 179-189
- Wilson, R. E. and D. Hacker. 1986. The Sanders Cove pines: vegetational analysis of a *Pinus echinata-Quercus alba* community in northern Lamar County, Texas. *Texas Journal of Science* 38: 183-192.
- Wolfe, D. 2000. Personal communication. Nature Conservancy of Texas, San Antonio.
- Wood, C. E. and J. K. Wood. 1988. Woody vegetation of the Frio River riparian forest, Texas. *Texas Journal of Science* 40: 309-321.
- Wood, M. K. and W. H. Blackburn. 1984. Vegetation and soil response to cattle grazing systems in the Texas Rolling Plains. *Journal of Range Management* 37: 303-309.

- Worthington, R. D. and W. H. Reid. 1985. Vegetation of the gypsum dune habitat, Hudspeth County, Texas. University of Texas at El Paso.
- Worthington, R. D. 2000. Personal communication. University of Texas at El Paso.
- Wright, R. A. 1982. Aspects of desertification in *Prosopis* dunelands of southern New Mexico, USA. *Journal of Arid Environments* 5: 277-284.
- Wu, Y., K. Rylander and D. Wester. 1997. Rodent-habitat associations in a Chihuahuan desert grassland community in Trans-Pecos Texas. *Texas Journal of Science* 48: 68-74.
- Yancey, F. D., II. 1997. The mammals of Big Bend Ranch State Park. Museum of Texas Tech University no. 39.
- Yantis, J. H. 1984. The Lexington-Marquez wildlife unit. TPWD Wildlife Division, F. A. Series no 23.
- York, C. L. 1949. The physical and vegetational basis for animal distribution in the Sierra Vieja range of southwestern Texas. *Texas Journal of Science* 1: 46-62.
- York, J. C. and W. A. Dick-Peddie. 1969. Vegetation changes in southern New Mexico during the past hundred years. In: *Arid lands in perspective*, pp. 157-166. W.G. McGinnies and B. J. Goldman, eds. University of Arizona Press, Tucson.

Vita

David Bezanson was born in Austin, Texas, on August 1, 1970, the son of Janice Crump Bezanson and Stephen George Bezanson. He has lived in east Texas, where his family owns property, and Austin. Bezanson received the degree of Bachelor of Arts from the University of Texas at Austin in December 1992. Since 1992, he has been employed by the Texas General Land Office and by Natural Area Preservation Association, a land trust. Bezanson lives in Austin with his wife, Elizabeth, and son, Walter.

Permanent address: 1804 Capital Parkway #22
Austin, Texas 78746